

GitHub: Tool to teach Software development

Aurelijus Banelis





Aurelijus Banelis

Backend/DevOps

aurelijus.banelis.lt

aurelijus@banelis.lt

PGP 0x320205E7539B6203
130D C446 1F1A 2E50 D6E3
3DA8 3202 05E7 539B 6203



GitHub for teaching

Personal experience

A person is standing at the front of a lecture hall, presenting to a group of people seated in rows of chairs. The room has a modern aesthetic with large windows and a whiteboard. A large screen at the front displays a team of software engineers with their names and titles. The text 'Personal experience' is overlaid in large white font across the center of the image.

Lektorija

Auripila Erenfels
Software Engineer



Sandra Saveljic
Senior Software Engineer



Jelena Stokic
Product Manager



Marijana Stokic
Software Engineer



Paulina Komarova
Senior Software Engineer



Tamas Allakoski
Software Engineer



Ekinas Norusaitis
UI/UX Designer



Agne Gudaitiene
Head of UX/UI Design



Lina Linarite
Senior Software Engineer



AKADEMIJA
INOVACIJA

Why

Market of Soft-Devs
Goal of education

How

GitHub + Video
From student
From teacher

Alternatives

MediaWiki
GitLab
Conference talk

Why

Market of Soft-Devs
Goal of education


How

GitHub + Video
From student
From teacher

Alternatives


MediaWiki
GitLab
Conference talk

DEMAND/SUPPLY RATIO BY OCCUPATION





Raise of Software Academies



Talent based



Experiments

2019 04 23 Symfony karkasas / 2 dalis. Aurelijus Banelis

Tavo atsakymai padės mums geriau suprasti ar viską darome gerai ir kur mums reikia pasitempti.)

*Privaloma

El. pašto adresas *

El. pašto adresas

7. Kaip vertinate užsiėmimą studijavimą/aktyvumą? (1 - visiškai nenaudingas, 5 - labai naudingas)

1 2 3 4 5

2. Įvertink paskaitos sudėtingumą pagal tavo turimą žinių lygį (1 - visai nesudėtinga, 5 - labai sudėtinga) *

1 2 3 4 5

3. Kaip aiškiai ir suprantamai pateikta teorinės paskaitos dalies medžiaga? (Vertinti tik tuo atveju, jei teorija buvo dėstoma. 1 - visai neaiškiai, 5 - tobulai) *

1 2 3 4 5

4. Kaip aiškiai ir suprantamai išdėstyta praktinės paskaitos dalis? (Vertinti tik tuo atveju, jei praktinė dalis buvo dėstoma. 1 - visai neaiškiai, 5 - tobulai) *

1 2 3 4 5

5. Užbaik, prašau, sakinį. Šiame užsiėmime man labiausiai patiko.. *

Jūsų atsakymas

6. Užbaik, prašau, sakinį. Šiame užsiėmime man labiausiai trūko.. *

Jūsų atsakymas

Atsiųsti mano atsakymų kopiją.

PATEIKTI

Niekada nepateikite slaptažodžių per „Google“ formas.

GitHub + Video

Why

To find talents: can use not traditional teaching

How

GitHub + Video

From student

From teacher

Alternatives

MediaWiki

GitLab

Conference talk

Why

Market of Soft-Devs
Goal of education

How

GitHub + Video
From student
From teacher

Alternatives

MediaWiki
GitLab
Conference talk

2019-04-23 Pavyzdžiai paskaitai: Symfony 2 #38

Edit

aurelijusb wants to merge 18 commits into `master` from `examples-2019-04-23`

Conversation **6** Commits **18** Checks **0** Files changed **9** +321 -6



aurelijusb commented on Apr 1 • edited ▾

Owner + 👤 ...

Svetainės su sudėtingesniu Frontend'u pavyzdys (`Symfony 4.2`)

- `Symfony Encore`
- `React` bibliotekos pridėjimas
- `AJAX` bibliotekos pridėjimas
- `Sudėtingesni takai (routes)`
- `Sudėtingesni kontroleriai (duomenų validacija)`
- `Kontrolerių, Twig ir JavaScript sujungimas`

Analogiškas `Symfony 4.1` pavyzdys: [#15](#)

aurelijusb and others added some commits on Apr 1

- Pridedam `React`'ui reikalingas `JavaScript` bibliotekas ec02ddc
- Pajungiame, kad kompiliuotų `React`'o `JSX` failus d770f0
- Bandome `React Hello world`, bet neveikia 6eb1bb8
- Pataisome, kad veiktų `React Hello world` pavyzdys 28c6dcb
- Savo pakeitimus dėkime į atskirą puslapį 8f3ca84



aurelijusb commented on Apr 1 • edited ▾

Author Owner + 👤 ...

Turime `React Hello world`:

Hello, world!

Reviewers

No reviews

Assignees

No one—assign yourself

Labels

Examples

Projects

None yet

Milestone

No milestone

Notifications

Customize

Unsubscribe

You're receiving notifications because you authored the thread.

2 participants



Lock conversation

aurelijusb added some commits on Apr 12, 2018

- Pasidarome priešią `AJAX` užklausms (sudėtingesnis takų pavyzdys) 5094007
- Perduodame adresą į `JavaScript`'ą a6e0640



aurelijusb commented on Apr 6

Author Owner + 👤 ...

Adresų perdavimas iš `backend` į `frontend` naudojant `data-` parametrus

Pagrindinis
Žmonės

Hello, world!

Versijuojamas `JavaScript` failas: `/build/app.js`

Validuosiu su: `!validate/name`

aurelijusb added some commits on Apr 12, 2018

- Siunčiame `AJAX` užklausą 2f20160
- Pasiruošiame testinius duomenis 6738ebc
- Turime veikiančią `AJAX` validaciją (teisingos reikšmės patikrinimą) 13c539c



aurelijusb commented on Apr 6

Author Owner + 👤 ...

Sujungiame `backend` ir `frontend` ir turime jau kažką naudingo:

Pagrindinis
Žmonės

Hello, world!

Versijuojamas `JavaScript` failas: `/build/app.js`

Pataisome stilių 7e53230



aurelijusb commented on Apr 6

Author Owner + 👤 ...

Pataisome dizainą

Pagrindinis Žmonės

Hello, world!

Versijuojamas `JavaScript` failas: `/build/app.js`

aurelijusb referenced this pull request on Apr 6

2019-04-23 Paskaitos užrašai #39

Activities PhpStorm Tue 17:23 kickstart [-/akademija/kickstart] - .../assets/js/react.jsx [kickstart] - PhpStorm

```

1  const React = require('react');
2  const ReactDOM = require('react-dom');
3
4  ReactDOM.render(
5    <h1>Hello, world!</h1>,
6    document.getElementById('root')
7  );

```

Inspector Console Debugger Style Editor

Download the React DevTools for a better development experience.

```

{
  "build/app.css": "/build/app.css",
  "build/app.js": "/build/app.js",
  "build/frontend.js": "/build/frontend.js",
  "build/vendors-app.js": "/build/vendors-app.js",
  "react/react-dom.js": "/react/react-dom.js"
}

```

```

$ /code/node_modules/.bin/webpack --mode=development --output-path=/code/build
Running webpack ...

DONE Compiled successfully

4 files written to /code/build
Entrypoint app [big] = 13.js
Done in 9.32s.
node@82e8ed2b2e2a: /code
$ yarn run v1.15.2
$ /code/node_modules/.bin/webpack --mode=development --output-path=/code/build
Running webpack ...

Klaidą buvo galima patyti per Naršyklės konsolę:
ReferenceError: ReactDOM is not defined

Esmė: React'ą turėjome node modules (prisiminkime yarn... komanda), bet WebPack Encore nežinojo, kad reikia jį įtraukti.

Dokumentacija (neatsimenu, kur radau, bet čia geras pavyzdys):

```

Local Changes Log Console

Branch: HEAD | examples-2019-04-23 | User: All | Date: All | Paths: All

Padarom AJAX užklausą naudojant axios biblioteką	Aurelijus Banelis	11/04/18 23:43
Panaudokime kieno nors kito biblioteką	Aurelijus Banelis	06/04/19 09:51
Pataisome, kad veiktų React Hello world pavyzdys	Aurelijus Banelis	11/04/18 22:54
Bandome React Hello world, bet nevelkia	Aurelijus Banelis	11/04/18 22:45
Savo pakeitimus dėkime į atskirą puslapį	Aurelijus Banelis	01/04/19 21:52
Pajungiame, kad kompiliuotų React'o JSX failus	Aurelijus Banelis	11/04/18 22:35
Pridedam React'ui reikalingas JavaScript bibliotekas	Aurelijus Banelis	01/04/19 21:44
Merge pull request #45 from aurelijusb/rebranding	Aurelijus Banelis*	31/03/19 18:02
Rebranding: Docker images from NFAQ academy organization	Aurelijus Banelis	31/03/19 18:01
Merge pull request #44 from aurelijusb/upgrade-symfony-4.2	Aurelijus Banelis*	30/03/19 20:23
Upgrade: scripts to switch APP_ENV in .env.local file	Aurelijus Banelis	30/03/19 17:26
Example: Add some SEO example	Aurelijus Banelis	30/03/19 16:42
Example: Add some custom code	Aurelijus Banelis	30/03/19 16:11
Upgrade: Wire HTML, JavaScript and CSS	Aurelijus Banelis	30/03/19 16:06

Terminal

Cherry-pick successful: 2860dcb Pataisome, kad veiktų React Hello world pavyzdys (a minute ago)

13 chars 5:22 LF: UTF-8 | Git: lecture-2019-04-23 | Symfony

Symfony 2 - Google Chrome 2019-04-23 Pasaka

Hello, w

Inspector Console Debugger Style Editor

Download the React DevTools for a better development experience.

```

{
  "build/app.css": "/build/app.css",
  "build/app.js": "/build/app.js",
  "build/frontend.js": "/build/frontend.js",
  "build/vendors-app.js": "/build/vendors-app.js",
  "react/react-dom.js": "/react/react-dom.js"
}

```

```

$ /code/node_modules/.bin/webpack --mode=development --output-path=/code/build
Running webpack ...

DONE Compiled successfully

4 files written to /code/build
Entrypoint app [big] = 13.js
Done in 9.32s.
node@82e8ed2b2e2a: /code
$ yarn run v1.15.2
$ /code/node_modules/.bin/webpack --mode=development --output-path=/code/build
Running webpack ...

Klaidą buvo galima patyti per Naršyklės konsolę:
ReferenceError: ReactDOM is not defined

Esmė: React'ą turėjome node modules (prisiminkime yarn... komanda), bet WebPack Encore nežinojo, kad reikia jį įtraukti.

Dokumentacija (neatsimenu, kur radau, bet čia geras pavyzdys):

```

Hello, w

Versijuojamas Java

aurelijusbanelis added some commits on Apr 12, 2018



Pasidarome prieigą AJAX užklausoms (sudėtingesnis takų pavyzdys)

Verified

5d04d67

...

Symfony turi galimybę takų (angl. route) sistemą, tai galima perduoti argumentus užklausoms kaip parametrus į funkciją.

Pasidarome aprašymą, kaip būtų galima išsiųsti tik patį POST metodą. Vis dar nėra kaip, tačiau iš pradžių.

Galima tik patikrinti per scripts/backend.sh

```
bin/console debug:router
```

```
bin/console debug:router validatePerson
```

Naujausias je Symfony yra šioje ioP... Bundle...
į Symfony core d... n... me... an... s.

Dokumentacija:

<https://symfony.com/doc/current/routing.html>

<https://symfony.com/doc/current/routing/requirements.html>



Perduodame adresą į JavaScript'ą

...

Verified

✓ aeae640

Commit messages



aurelijusbanelis added some commits on Apr 12, 2018



Pasidarome prieigą AJAX užklausoms (sudėtingesnis takų pavyzdys)

Verified

5d04d67

...

Symfony turi galingą takų (angl. route) sistemą, tai galima perduoti argumentus užklausoje, kaip argumentus į funkciją.

Pasidarome apribojimą, kad būtų galima kviesti tik per POST metoda. Vis dar nėra kaip pilnai ištestuoti.

Galima tik patikrinti per scripts/backend.sh

```
bin/console debug:router
```

```
bin/console debug:router validatePerson
```

Naujausioje Symfony versijoje SensioFrameworkExtraBundle yra sudėtas į Symfony core dalį. Todėl nėra "@method" anotacijos.

Dokumentacija:

<https://symfony.com/doc/current/routing.html>

<https://symfony.com/doc/current/routing/requirements.html>



Perduodame adresą į JavaScript'ą

...

Verified

✓ aeae640



aurelijusbanelis added some commits on Apr 12, 2018



Pasidarome prieigą AJAX užklausoms (sudėtingesnis takų pavyzdys)

Verified

5d04d67

...

Symfony turi galingą takų (angl. route) sistemą, tai galima perduoti argumentus užklausoje, kaip argumentus į funkciją.

Pasidarome apribojimą, kad būtų galima kviesti tik per POST metoda. Vis dar nėra kaip pilnai ištestuoti.

Galima tik patikrinti per scripts/backend.sh

```
bin/console debug:router
```

```
bin/console debug:router validatePerson
```

Naujausioje Symfony versijoje SensioFrameworkExtraBundle yra sudėtas į Symfony core dalį. Todėl nėra "@method" anotacijos.

Dokumentacija:

<https://symfony.com/doc/current/routing.html>

<https://symfony.com/doc/current/routing/requirements.html>



Perduodame adresą į JavaScript'ą

...

Verified

✓ aeae640

Why



aurelijusbanelis added some commits on Apr 12, 2018



Pasidarome prieigą AJAX užklausoms (sudėtingesnis takų pavyzdys)

Verified

5d04d67

...

Symfony turi galingą takų (angl. route) sistemą, tai galima perduoti argumentus užklausoje, kaip argumentus į funkciją.

Pasidarome apribojimą, kad būtų galima kviesti tik per POST metoda. Vis dar nėra kaip pilnai ištestuoti.

```
Galima tik patikrinti per scripts/backend.sh
bin/console debug:router
bin/console debug:router validatePerson
```

Naujausioje Symfony versijoje SensioFrameworkExtraBundle yra sudėtas į Symfony core dalį. Todėl nėra "@method" anotacijos.

Dokumentacija:

<https://symfony.com/doc/current/routing.html>

<https://symfony.com/doc/current/routing/requirements.html>



Perduodame adresą į JavaScript'ą

...

Verified

✓ aeae640

Why

Reproduce



aurelijusbanelis added some commits on Apr 12, 2018



Pasidarome prieigą AJAX užklausoms (sudėtingesnis takų pavyzdys)

Verified

5d04d67

...

Symfony turi galingą takų (angl. route) sistemą, tai galima perduoti argumentus užklausoje, kaip argumentus į funkciją.

Pasidarome apribojimą, kad būtų galima kviesti tik per POST metoda. Vis dar nėra kaip pilnai ištestuoti.

Why

```
Galima tik patikrinti per scripts/backend.sh
bin/console debug:router
bin/console debug:router validatePerson
```

Reproduce

Naujausioje Symfony versijoje SensioFrameworkExtraBundle yra sudėtas į Symfony core dalį. Todėl nėra "@method" anotacijos.

Dokumentacija:

```
https://symfony.com/doc/current/routing.html
https://symfony.com/doc/current/routing/requirements.html
```

Documentation



Perduodame adresą į JavaScript'ą

...

Verified

✓ aeae640



Symfony 4.3.0 released

[Read release notes](#)

May 30, 2019



Fabien Potencier



Symfony 4.3.0-RC1 released

[Read release notes](#)

May 28, 2019



Fabien Potencier



Symfony 4.2.9 released

[Read release notes](#)

May 28, 2019



Fabien Potencier



Symfony 4.3 curated new features

[Read release notes](#)

May 28, 2019



Fabien Potencier



Symfony 3.4.28 released

[Read release notes](#)

May 28, 2019



Fabien Potencier

Update

Apr 12, 2018

s (sudėtingesnis takų pavyzdys)

Verified

5d04d67

e) sistema,
soje, kaip argumentus į funkciją.

ia kviesti tik per POST metoda.

ind.

rson

rameworkExtraBundle yra sudėtas
hod" anotacijos.

ting.html

ting/requirements.html

...

Verified



aeae640



Symfony 4.3.0 released

[Read release notes](#)

May 30, 2019



Fabien Potencier



Symfony 4.3.0-RC1 released

[Read release notes](#)

May 28, 2019



Fabien Potencier



Symfony 4.2.9 released

[Read release notes](#)

May 28, 2019



Fabien Potencier



Symfony 4.3 curated new features

[Read release notes](#)

May 28, 2019



Fabien Potencier



Symfony 3.4.28 released

[Read release notes](#)

May 28, 2019



Fabien Potencier

Apr 12, 2018

s (sudėtingesnis takų pavyzdys)

Verified

5d04d67

e) sistema,

soje, kaip argumentus į funkciją.

a kviesti tik per POST metoda.

kend.sh

rson

rameworkExtraBundle yra sudėtas

hod" anotacijos.

ting.html

ting/requirements.html

...

Verified



aeae640



aurelijusbanelis added some commits on Apr 12, 2018



Pasidarome prieigą AJAX užklausoms (sudėtingesnis takų pavyzdys)

Verified

5d04d67

...

Symfony turi galingą takų (angl. route) sistemą, tai galima perduoti argumentus užklausoje, kaip argumentus į funkciją.

Pasidarome apribojimą, kad būtų galima kviesti tik per POST metoda. Vis dar nėra kaip pilnai ištestuoti.

```
Galima tik patikrinti per scripts/backend.sh
bin/console debug:router
bin/console debug:router validatePerson
```

Reproduce

Naujausioje Symfony versijoje SensioFrameworkExtraBundle yra sudėtas į Symfony core dalį. Todėl nėra "@method" anotacijos.

Dokumentacija:

```
https://symfony.com/doc/current/routing.html
https://symfony.com/doc/current/routing/requirements.html
```

Documentation



Perduodame adresą į JavaScript'ą

...

Verified



aeae640

Symfony 2 #53

Open RU55CK wants to merge 5 commits into aurelijusb:lecture-2019-04-23 from RU55CK:lecture-2019-04-23

Conversation 5 Commits 5 Checks 0 Files changed 4

RU55CK commented on Apr 30 First-time contributor
No description provided.

- RU55CK added 5 commits on Apr 30
 - front-end validation
 - back-end validation
 - Changed command to team, updated style.

- aurelijusb reviewed on May 4 View changes
.idea/kickstart.iml Outdated Show resolved
- aurelijusb reviewed on May 4 View changes
src/Controller/PeopleController.php Outdated Show resolved
- aurelijusb reviewed on May 4 View changes

Homework

- aurelijusb reviewed on May 4 View changes
src/Controller/PeopleController.php Outdated Show resolved
- aurelijusb reviewed on May 4 View changes

```
129 +     $team = [];  
130 +     $storage = json_decode($this->getStorage(), true);  
131 +     foreach ($storage as $key => $t) {  
132 +     }
```

aurelijusb on May 4 Owner
Namų darbai nėra aktualu, bet yra gera praktika komandoje susitarti kodavimo stilių.
Tada sujungiant pakeitimus eilutės nesiskirtų tik tarpų skaičiumi.
PHPStorm turi mygtuką automatiniam suformatavimui.
Plačiau:
 - <https://www.jetbrains.com/phpstorm/reformat-file-dialog.html>
 - <https://www.php-fir.org/php-fir/>
 - <https://github.com/ru55ck/symfony2/blob/master/.idea/kickstart.iml>
 - <https://github.com/ru55ck/symfony2/blob/master/.idea/phpstorm.xml>
- aurelijusb commented on May 4 Owner
✗ Jei sutvarkytum .gitignore failą – būtų idealu
- New changes since you last viewed View changes
 - RU55CK added some commits on May 6
 - gitignore and array_keys ✗ 97984e8
 - added gitignore and changed to array_keys ✗ dd19827
- aurelijusbanelis commented on May 30 Collaborator
✓ Įvertinimas pakeltas

Symfony 2 #53

Open RU55CK wants to merge 5 commits into `aurelijusb:lecture-2019-04-23` from `RU55CK:lecture-2019-04-23`

Conversation 5 **Commits** 5 **Checks** 0 **Files changed** 4



RU55CK commented on Apr 30

First-time contributor + 👤 ...

No description provided.

RU55CK added some commits on Apr 27

- front-end validation 95a17e4
- back-end validation 1fd9d46
- Changed command to team, updated style. ❌ 068d6b3



aurelijusb reviewed on May 4

[View changes](#)

`.idea/kickstart.iml` Outdated

Show resolved



aurelijusb reviewed on May 4

[View changes](#)

`src/Controller/PeopleController.php` Outdated

Show resolved



aurelijusb reviewed on May 4

[View changes](#)



aurelijusb reviewed on May 4

[View changes](#)

`src/Controller/PeopleController.php` Outdated

Show resolved



aurelijusb reviewed on May 4

[View changes](#)

`src/Controller/PeopleController.php`

```
129 + $team = [];  
130 + $storage = json_decode($this->getStorage(), true);  
131 + foreach ($storage as $key => $t) {  
132 +
```



aurelijusb on May 4 **Owner**

+ 👤 ...

Namų darbai nėra aktualu, bet yra gera praktika komandoje susitarti kodavimo stilių.

Tada sujungiant pakeitimus eilutės nesiskirtų tik tarpų skaičiumi.
PHPStorm turi mygtuką automatiniam suformatavimui.

Plačiau:

- <https://www.jetbrains.com/help/phpstorm/reformat-file-dialog.html>
- <https://www.php-fig.org/psr/psr-2/>
- <https://travis-ci.org/aurelijusb/kickstart/builds/526579008#L528>
- https://github.com/squizlabs/PHP_CodeSniffer



Reply...

[Resolve conversation](#)



aurelijusb commented on May 4

Owner + 👤 ...

❌ Jei sutvarktum `.gitignore` failą – būtų idealu



New changes since you last viewed

[View changes](#)



RU55CK added some commits on May 6

- gitignore and array_keys ❌ 970b4ed
- added gitignore and changed to array_keys ❌ dd19827



aurelijusbanelis commented on May 30

Collaborator + 👤 ...

✓ Įvertinimas pakeltas

Symfony 2 #53

Open RU55CK wants to merge 5 commits from **aurelijusb:lecture-2019-04-23** to **RU55CK:lecture-2019-04-23**

Conversation 5 Commits 5 Checks 0 Files changed 4

RU55CK commented on Apr 30 **first-time contributor**

No description provided.

RU55CK added some commits on Apr 27

- front-end validation 95a17e4
- back-end validation 1fd9d46
- Changed command to team, updated style. X 068d6b3

aurelijusb reviewed on May 4

[View changes](#)

.idea/kickstart.iml Outdated

Show resolved

aurelijusb reviewed on May 4

[View changes](#)

src/Controller/PeopleController.php Outdated

Show resolved

aurelijusb reviewed on May 4

[View changes](#)

Continue

aurelijusb reviewed on May 4

[View changes](#)

src/Controller/PeopleController.php Outdated

Show resolved

aurelijusb reviewed on May 4

[View changes](#)

src/Controller/PeopleController.php

```
129 + $steam = [];  
130 + $storage = json_decode($this->getStorage(), true);  
131 + foreach ($storage as $key => $t) {  
132 +
```

aurelijusb on May 4 **Owner**

+ @ ...

Namų darbai nėra aktualu, bet yra gera praktika komandoje susitarti kodavimo stilių.

Tada sujungiant pakeitimus eilutės nesiskirtų tik tarpų skaičiumi. PHPStorm turi mygtuką automatiniam suformatavimui.

Plačiau:

- <https://www.jetbrains.com/help/phpstorm/reformat-file-dialog.html>
- <https://www.php-fig.org/psr/psr-2/>
- <https://travis-ci.org/aurelijusb/kickstart/builds/526579008#L528>
- https://github.com/squizlabs/PHP_CodeSniffer



Reply...

[Resolve conversation](#)

aurelijusb commented on May 4

Owner + @ ...

X Jei sutvarkutum .gitignore failą – būtų idealu

+ New changes since you last viewed

[View changes](#)

RU55CK added some commits on May 6

- gitignore and array_keys X 970b4ed
- added gitignore and changed to array_keys X dd19827

aurelijusbanelis commented on May 30

Collaborator + @ ...

✓ Įvertinimas pakeltas

Symfony 2 #53

Open RU55CK wants to merge 5 commits from aurelijusb:lecture-2019-04-23 to RU55CK:lecture-2019-04-23

Conversation 5 Commits 5 Checks 0 Files changed 4

RU55CK commented on Apr 30 first-time contributor

No description provided.

RU55CK added some commits on Apr 27

- front-end validation 95a17e4
- back-end validation 1fd9d46
- Changed command to team, updated style. 068d6b3

aurelijusb reviewed on May 4

View changes

.idea/kickstart.iml Outdated

Show resolved

aurelijusb reviewed on May 4

View changes

src/Controller/PeopleController.php Outdated

Show resolved

aurelijusb reviewed on May 4

View changes

Continue

aurelijusb reviewed on May 4

View changes

src/Controller/PeopleController.php Outdated

Show resolved

aurelijusb reviewed on May 4

View changes

src/Controller/PeopleController.php

```
129 + $team = [];  
130 + $storage = json_decode($this->getStorage(), true);  
131 + foreach ($storage as $key => $t) {  
132 +
```

aurelijusb on May 4 Owner

+ @ ...

Namų darbai nėra aktualu, bet yra gera praktika komandoje susitarti kodavimo stilių.

Tada sujungiant pakeitimus eilutės nesiskirtų tik tarpų skaičiumi. PHPStorm turi mygtuką automatiniam suformatavimui.

Plačiau:

- <https://www.jetbrains.com/help/phpstorm/reformat-file-dialog.html>
- <https://www.php-fig.org/psr/psr-2/>
- <https://travis-ci.org/aurelijusb/kickstart/builds/526579008#L528>
- https://github.com/squizlabs/PHP_CodeSniffer

Reply...

Resolve conversation

aurelijusb commented on May 4

Owner + @ ...

✗ Jei sutvarktum .gitignore failą būtų idealu

+ New changes reviewed

View changes

RU55CK added some commits on May 6

- gitignore added array_keys 978b44
- added gitignore 0420198

aurelijusbanelis commented on May 30

Collaborator + @ ...

✓ Įvertinimas pakeltas

Allow to improve

Why

Market of Soft-Devs
Goal of education

How

Small steps as commits
Video ↔ Commit message
From overview to details

Alternatives

MediaWiki
GitLab
Conference talk

Why

Market of Soft-Devs
Goal of education

How

GitHub + Video
From student
From teacher

Alternatives

MediaWiki
GitLab
Conference talk

Set \$wgLogo to the URL path to your own logo image.

- Main page
- Recent changes
- Random page
- Help about MediaWiki
- Tools
- What links here
- Related changes
- Special pages
- Page information

Editing NoTrollsAllowed

= GitHub: tool to teach software development =

It is XXI century, but we are still using books and old methods for software development. I think we can do better.

== In this talk you will learn ==

- * How to use GitHub to teach software development
- * How to balance between slow and fast development
- * How to use Homework as extension

== Prerequisites == the attention

No programming/developmental skills

Summary:

Added prerequisites: So attend to the prerequisites of the talk

This is a minor edit

Watch for changes

Please note that all contributions to GitHub for teaching are made under the MIT license. If you do not want your writing to be edited mercilessly, then do not submit it here.

You are also promising us that you wrote this yourself or copied it from a public domain source that you have permission to use. Do not submit copyrighted work without permission!

Save changes Show preview Show changes Cancel Editing help (opens in new window)





- Main page
- Recent changes
- Random page
- Help about MediaWiki

- Tools
- What links here
- Related changes
- Special pages
- Page information

Editing NoTrollsAllowed

= GitHub: tool to teach software development =

It is XXI century, but we are still using books and code sample in Slides to teach software development. I think we can do better.

== In this talk you will learn ==

- * How to use GitHub to teach software development
- * How to balance between slow and fast learners
- * How to use Homework as extension of a lecture

== Prerequisites for the attendees ==

No programming/educational skills are needed

Name your change

Summary:

Added prerequisites: So attendees could prepare in advance or evaluate expected complexity of the talk

This is a minor edit Watch this page

Please note that all contributions to GitHub for teaching may be edited, altered, or removed by other contributors. If you do not want your writing to be edited mercilessly, then do not submit it here.

You are also promising us that you wrote this yourself, or copied it from a public domain or similar free resource (see [GitHub for teaching:Copyrights](#) for details). **Do not submit copyrighted work without permission!**

Save changes

Show preview

Show changes

Cancel [Editing help](#) (opens in new window)



Revision history of "NoTrollsAllowed"



Help

[View logs for this page](#)

See all small steps

Search for revisions

From year (and earlier): 2019



From month (and earlier): all



Tag filter:

Revision deleted only

Diff selection: Mark the radio boxes of the revisions to compare and hit enter or the button at the bottom.

Legend: **(cur)** = difference with latest revision, **(prev)** = difference with preceding revision, **m** = minor edit.

- [\(cur | prev\)](#) 17:05, 15 July 2019 Aurelijus ([talk](#) | [contribs](#) | [block](#)) .. (360 bytes) (+132) .. *(Added introduction. So non technical people could understand what to expect)* ([undo](#))
- [\(cur | prev\)](#) 17:02, 15 July 2019 Aurelijus ([talk](#) | [contribs](#) | [block](#)) .. (228 bytes) (+5) .. *(Add formatting (headings and list). Documentation: <https://www.mediawiki.org/wiki/Help:Formatting>)* ([undo](#))
- [\(cur | prev\)](#) 17:00, 15 July 2019 Aurelijus ([talk](#) | [contribs](#) | [block](#)) .. (223 bytes) (+203) .. *(Add simple information about the talk)* ([undo](#))
- [\(cur | prev\)](#) 16:56, 15 July 2019 Aurelijus ([talk](#) | [contribs](#) | [block](#)) .. (20 bytes) (+20) .. *(Start with empty page)*

N NTA

Project

Repository

Issues

Merge Requests

CI/CD

Operations

Wiki

Snippets

Settings

> 3 commits and 1 merge commit will be added to master. [Modify merge commit](#)

You can merge this merge request manually using the command line

 0
 


Discussion of **Commits 3** Pipelines 1 Changes 1

15 Jul 2018

on ...

3 minutes ago

technical people can understand that the project

Added formatting ...

Aurelijus authored 5 minutes ago

Unverified

a12a7b0c

Documentation:

* <https://github.com/adam-p/markdown-here/wiki/Markdown-Cheatsheet>




Add simple information about the talk

Aurelijus authored 6 minutes ago

Unverified

f25ee2db



GitLab

N NTA

Project

Repository

Files

Commits

Branches

Tags

Contributors

Graph

Compare

Charts

Issues 0

Merge Requests 1

CI/CD

Operations

Wiki

Snippets

Aurelijus > NTA > Repository

Edit file

Write Preview

example-2019-07-26 README.md

B I " </> [Icons] Soft wrap text

```

1 Presentation for NoTrollsAllowed
2 =====
3
4 It is XXI century, but we are still using books and code sample in Slides to teach software development. I think we can do better.
5
6 ## In this talk you will learn
7
8 * How to use GitHub to teach software development
9 * How to balance between slow and fast learners
10 * How to use Homework as extension of a lecture
11
12 ## Prerequisites for the attendees
13
14 No programming/educational skills are needed
15
16 It would be good to:
17 * Know what [GitHub](https://github.com/) is
18 * Know what [Screen Recording tools](https://zapier.com/blog/best-screen-recording-software) are

```

Commit message

Added prerequisites

So attendees could prepare in advance or evaluate expected complexity of the talk

Target Branch

example-2019-07-26

Commit changes

Name your change

Cancel

Overview Active Stale All

Filter by branch name

Delete merged branches

New branch

Protected branches can be managed in [project settings](#).

Terminology

Active branches

Y **example-2019-07-26**

↗ c6fa5a33 · Added introduction · just now

0 3

Merge request

Compare



Y **master** default protected

↗ 9f36e7e6 · Added README.md · 8 minutes ago



Source branch

example-2019-07-26

Target branch

master

[Change branches](#)

Delete source branch when merge request is accepted.

Squash commits when merge request is accepted. ?

Submit merge request

- N NTA
- Project
- Repository
- Issues 0
- Merge Requests 1**
- CI/CD
- Operations
- Wiki
- Snippets
- Settings

> 3 commits and 1 merge commit will be added to master. [Modify merge commit](#)

You can merge this merge request manually using the [command line](#)

0
 0

See all small steps

Discussion 0 **Commits 3** Pipelines 1 Changes 1

- 15 Jul, 2019 3 commits
- Added introduction**
Unverified
c6fa5a33

Aurelijus authored 3 minutes ago

So non technical people could understand what to expect
 - Added formatting**
Unverified
a12a7b0c

Aurelijus authored 5 minutes ago

Documentation:
* <https://github.com/adam-p/markdown-here/wiki/Markdown-Cheatsheet>
 - Add simple information about the talk**
Unverified
f25ee2db

Aurelijus authored 6 minutes ago

Conferences

Real-time-first metrics

Aurelijus Banelis



Let's compare simple examples

17

```
function formatter($city, $language, $event)
{
    print "City: $city\n";
    print "Language: $language\n";
    print "Event: $event\n";
}

function main()
{
    print "Parsing started...\n";
    formatter("Vilnius", "PHP", "0x4F");
    print "Finished...\n";
}

main();
```

```
Parsing started...
City: Vilnius
Language: PHP
Event: 0x4F
Finished...
```

```
function for matter()
{
    $city = (yield);
    print "City: $city\n";
    $language = (yield);
    print "Language: $language\n";
    $event = (yield);
    print "Event: $event\n";
}

function main()
{
    $p = for matter();
    print "Parsing started...\n";
    $p->send("Vilnius");
    print "Parsing...\n";
    $p->send("PHP");
    print "Parsing...\n";
    $p->send("0x4F");
    print "Finished...\n";
}

main();
```

```
Parsing started...
City: Vilnius
Parsing...
Language: PHP
Parsing...
Event: 0x4F
Finished...
```

```
Parsing started...
City: Vilnius
Language: PHP
Event: 0x4F
Finished...
```

```
Parsing started...
City: Vilnius
Parsing...
Language: PHP
Parsing...
Event: 0x4F
Finished...
```

18

Parsing started...

"Vilnius"

"PHP"

"0x4F"

City: Vilnius

Language: PHP

Event: 0x4F

Finished...

Parsing started...

"Vilnius"

"PHP"

"0x4F"

Finished...

<https://github.com/psalm/psalm/blob/master/docs/annotating-code.md>



Let's compare simple examples

17

```
function formatter($city, $language, $event)
{
    print "City: $city\n";
    print "Language: $language\n";
    print "Event: $event\n";
}

function main()
{
    print "Parsing started...\n";
    formatter("Vilnius", "PHP", "0x4F");
    print "Finished...\n";
}

main();
```

```
function fomater()
{
    $city = (yield);
    print "City: $city\n";
    $language = (yield);
    print "Language: $language\n";
    $event = (yield);
    print "Event: $event\n";
}

function main()
{
    $p = fomater();
    print "Parsing started...\n";
    $p->send("Vilnius");
    print "Parsing...\n";
    $p->send("PHP");
    print "Parsing...\n";
    $p->send("0x4F");
    print "Finished...\n";
}

main();
```

Link to Gist

```
Parsing started...
City: Vilnius
Language: PHP
Event: 0x4F
Finished...
```

<https://gist.github.com/aleksey-kravchenko/9427c6e2777103bd810709d>

```
Parsing started...
City: Vilnius
Parsing...
Language: PHP
Parsing...
Event: 0x4F
Finished...
```

19

```
Parsing started...
City: Vilnius
Language: PHP
Event: 0x4F
Finished...
```

```
Parsing started...
City: Vilnius
Parsing...
Language: PHP
Parsing...
Event: 0x4F
Finished...
```

18

Parsing started...

"Vilnius"

"PHP"

"0x4F"

City: Vilnius

Language: PHP

Event: 0x4F

Finished...

Parsing started...

"Vilnius"

"PHP"

"0x4F"

City: Vilnius

Language: PHP

Event: 0x4F

Finished...

20



Instantly share code, notes, and snippets.



aurelijusb / .gitignore

Last active last month

★ Star 0

🔗 Fork 0

<> Code

<- Revisions 5

Embed ▾

<script src="https://g1



Download ZIP

VilniusPHP 0x4F: Coroutines in PHP: Simple examples

.gitignore

Raw

1 .idea

README.md

Raw

Code examples: Coroutines in PHP

Simple generator example

Usage:

```
php hello-coroutine.php
php generators.php
php execution-simple.php
php execution-coroutines.php
```

Link to Gist

```
Parsing started...
City: Vilnius
Language: PHP
Event: 0x4F
Finished...
```

<https://gist.github.com/aurelijusb/cacef3e4d57ca6e1772104e9a85079a9>

```
print "Parsing...\n";
$p->send("0x4F");
print "Finished...\n";
}
```

main();

```
Parsing started...
City: Vilnius
Parsing...
Language: PHP
Parsing...
Event: 0x4F
Finished...
```

execution-coroutines.php

Raw

```
1 <?php
2
3 function formatter()
4 {
5     $city = (yield);
6     print "City: $city\n";
7     $language = (yield);
8     print "Language: $language\n";
9     $event = (yield);
10    print "Event: $event\n";
11 }
12
13 function main()
14 {
15     $p = formatter();
16     print "Parsing started...\n";
17     $p->send("Vilnius");
18     print "Parsing...\n";
19     $p->send("PHP");
20     print "Parsing...\n";
21     $p->send("0x4F");
22     print "Finished...\n";
23 }
24
25 main();
```

execution-simple.php

Raw

```
1 <?php
2
3 function formatter($city, $language, $event)
4 {
5     print "City: $city\n";
6     print "Language: $language\n";
7     print "Event: $event\n";
8 }
9
10 function main()
11 {
12     print "Parsing started...\n";
13     formatter("Vilnius", "PHP", "0x4F");
14     print "Finished...\n";
15 }
16
17 main();
```

generators.php

Raw

```
1 <?php
2
3 function generator()
4 {
5     for ($i = 1; $i <= 10; $i++) {
6         yield "VilniusPHP $i" . dechex($i);
7     }
8 }
9
10 $events = generator();
11 foreach ($events as $event) {
12     print "$event\n";
13 }
```

hello-coroutine.php

Raw

```
1 <?php
2
3 function receiver()
4 {
5     $data = (yield);
6     print $data . " 0x4F\n";
7 }
8
9 receiver()->send("VilniusPHP");
```

Why

Market of Soft-Devs
Goal of education

How

GitHub + Video
From student
From teacher

Alternatives

History and link to version

Why

Market of Soft-Devs
Goal of education

How

GitHub + Video
From student
From teacher

Alternatives

MediaWiki
GitLab
Conference talk



Not just copy,
but **augment**
your **community**

GitHub for

Thank you

Questions?

teaching

Further reading/references

- <https://docs.gitlab.com/omnibus/docker/>
- <https://github.com/aurelijusb/kickstart/pull/38>
- https://hub.docker.com/_/mediawiki